

Devices and spaces


neat.

neat.no




Neat Bar

For small and medium spaces,
with a 16 ft / 5 m reach




Neat Bar Generation 2

For small and medium spaces,
with a 16 ft / 5 m reach



Neat Bar Pro


For small, medium and large spaces,
with a 33 ft / 10 m reach






Neat Board 32

For focus and huddle spaces,
with a 7 ft / 2 m reach




Neat Board 50

For huddle and small spaces,
with 16 ft / 5 m reach



Neat Board Pro


For medium and large spaces,
with a 33 ft / 10 m reach






Neat Frame

For personal use and huddle spaces, with a 7 ft / 2 m reach




Neat Center

For small, medium and large spaces, with a 33 ft / 10 m (diameter) reach



Neat Board Pro or Neat Bar Pro with Neat Center

For large meeting spaces, with a 42 ft / 13 m reach



Neat Center provides an additional 15 ft of microphone and camera coverage from where it is placed. Meeting experience will vary based on placement of Neat Center.

Neat Bar 2



- 113° HFOV
- 4x digital zoom (optional 8x digital zoom)
- 5 microphones
- 4 tracking and sensor mics
- Speakerbox for maximal tonal range with minimal distortion
- Opposing full range drivers for vibration cancellation

Neat Bar



- 120° HFOV
- 4x digital zoom (optional 8x digital zoom)
- 5 microphones
- 3 sensor mics
- Speakerbox for maximal tonal range with minimal distortion
- Opposing drivers for vibration cancellation

Neat Bar Pro



- 70°-113° HFOV
- 16x digital zoom (hybrid zoom up to 16x)
- 16 microphones
- 4 tracking mics
- 3 full-range speakers ready for directional and stereo sound
- woofers with two opposing drivers for vibration cancellation

Neat Center



- 360° FOV
- 3 wide angle cameras
- Adaptive digital zoom (up to 4x)
- 16 omnidirectional microphones
- Single PoE installation
- Orientation sensor
- Flexible placement

Neat Board 32



- 32-inch capacitive 4K multi-touch screen
- 140° HFOV
- 4K capture resolution
- 4x digital zoom
- 4 beamforming microphones
- 2-way loudspeaker system

Neat Board 50



- 50-inch capacitive multi-touch LCD screen
- 113° HFOV
- 4x digital zoom (optional 8x)
- 5 microphones
- 5 sensor mics
- Opposing drivers for vibration cancellation

Neat Board Pro



- 65-inch capacitive multi-touch LCD screen
- 70°-113° HFOV
- 50MP capture resolution
- 16x digital zoom (hybrid zoom up to 16x)
- 5 microphones
- 3 full-range speaker

Neat Frame



- 15.6-inch capacitive multi-touch LED screen
- 113° HFOV
- 4x digital zoom
- 3 beamforming microphones
- 1 tracking mic
- Two-way loudspeaker system with minimal distortion

Focus and personal spaces



Medium and large spaces



Huddle and small spaces



Depending on lighting conditions, acoustic properties of materials and the geometry of the space, Neat devices may reach further

neat.